






DRIFTER ROD

台车钻杆

Drill rod 钎杆	Length 长度		Diameter 直径		Weight Kg 重量	P/N 型号
	mm 毫米	Foot 英尺	mm 毫米	inch 英寸		
六方钎杆 Drifter rod, R32-Hex25-R25 内孔 Flushing hole 8.6mm. 	2100	7	25	1	8.6	JH25-R25R32-2200
	2400	8	25	1	9.6	JH25-R25R32-2400
	2600	8' 8"	25	1	10.4	JH25-R25R32-2600
	2800	9	25	1	11.1	JH25-R25R32-2800
	3090	10	25	1	12.2	JH25-R25R32-3090
	3700	12	25	1	14.6	JH25-R25R32-3700
六方钎杆 Extension rod, R25-Hex25-R25 内孔 Flushing hole 8.6mm. 	915	3	25	1	3.4	JH25-R25R25-91
	1000	3' 33/8"	25	1	4.0	JH25-R25R25-1000
	1220	4	25	1	4.6	JH25-R25R25-1220
	1525	5	25	1	5.8	JH25-R25R25-1525
	1830	6	25	1	7.0	JH25-R25R25-1830
	2435	8	25	1	9.3	JH25-R25R25-2435
六方钎杆 Drifter rod, R32-Hex28-R28 内孔 Flushing hole 8.8mm. 	2400	7' 10"	28	1 1/8	12.2	JH28-R28R32-2400
	2750	9	28	1 1/8	14.4	JH28-R28R32-2750
	3700	12' 11/2"	28	1 1/8	18.9	JH28-R28R32-3700
	4000	13' 13/8"	28	1 1/8	20.4	JH28-R28R32-4000
	4310	14' 11/2"	28	1 1/8	22.0	JH28-R28R32-4310
	4920	16' 11/2"	28	1 1/8	25.3	JH28-R28R32-4920
六方钎杆 Drifter rod, R38-Hex32-R28 内孔 Flushing hole 9.6mm. 	2900	9' 61/8"	32	1 1/4	18.8	JH32-R28R38-2900
	3090	10' 11/2"	32	1 1/4	20.0	JH32-R28R38-3090
	3700	12' 11/2"	32	1 1/4	24.0	JH32-R28R38-3700
	4310	14' 11/2"	32	1 1/4	27.9	JH32-R28R38-4310
六方钎杆 Drifter rod, R32-Hex32-R28 内孔 Flushing hole 9.6mm. 	3090	10' 11/2"	32	1 1/4	20.0	JH32-R28R32-3090
	3700	12' 11/2"	32	1 1/4	23.5	JH32-R28R32-3700

六方钎杆 Drifter rod, R32-Hex32-R28 内孔 Flushing hole 9.6mm. 接内螺纹钎尾 With slimmed shank end for female shank adapters.		3090 3700 4000 4310	10' 11/2" 12' 11/2" 13' 13/8" 14' 11/2"	32 32 32 32	1 1/4 1 1/4 1 1/4 1 1/4	20.0 24.0 25.9 27.9	JH32-R28R32(N)-3090 JH32-R28R32(N)-3700 JH32-R28R32(N)-4000 JH32-R28R32(N)-4310
六方钎杆 Extension rod, R28-Hex28-R28 内孔 Flushing hole 8.8mm.		3050	10	28	1 1/8	15.0	JH28-R28R28-3050
六方钎杆 Speedrod, R28-Hex28-R28 内孔 Flushing hole 8.8mm.		3050	10	28	1 1/8	15.0	JH28-R28R28-3050
六方钎杆 Drifter rod, R/T38-Hex32-R32 内孔 Flushing hole 9.6mm.		2400 3090 3400 4000 4310 4920 5530	7' 10" 10' 11/2" 11' 13/4" 13' 13/8" 14' 11/2" 16' 11/2" 18' 11/2"	32 32 32 32 32 32 32	1 1/4 1 1/4 1 1/4 1 1/4 1 1/4 1 1/4 1 1/4	15.3 19.8 21.7 25.5 27.5 31.3 35.2	JH32-R32R/T38-2400 JH32-R32R/T38-3090 JH32-R32R/T38-3400 JH32-R32R/T38-4000 JH32-R32R/T38-4310 JH32-R32R/T38-4920 JH32-R32R/T38-5530
六方钎杆 Drifter rod, R/T38-Hex35-R32 内孔 Flushing hole 9.5mm.		3090 3700 4000 4310 4920 5530 6100	10' 11/2" 12' 11/2" 13' 13/8" 14' 11/2" 16' 11/2" 18' 11/2" 20'	35 35 35 35 35 35 35	1 3/8 1 3/8 1 3/8 1 3/8 1 3/8 1 3/8 1 3/8	24.0 28.7 31.1 33.4 37.8 42.9 47.3	JH35-R32R/T38-3090 JH35-R32R/T38-3700 JH35-R32R/T38-4000 JH35-R32R/T38-4310 JH35-R32R/T38-4920 JH35-R32R/T38-5530 JH35-R32R/T38-6100
轻型连接杆 Light extension rod, T38-Hex32-T38 内孔 Flushing hole 9.6mm.		1220 1830 2435 3050 3660	4 6 8 10 12	32 32 32 32 32	1 1/4 1 1/4 1 1/4 1 1/4 1 1/4	8.6 12.6 16.6 20.8 24.9	JH32-T38T38-1220 JH32-T38T38-1830 JH32-T38T38-2435 JH32-T38T38-3050 JH32-T38T38-3660

SHANDONG TAISHAN ROCK TOOLS CO., LTD

Mr:Tom Sui

Tel: 0086-635-6515509

Fax:0086-635-6515678

Mobile: 013563026509

013863526509

Email:chinarocktool@163.com

rockdrillingtools@163.com

export@china-rocktool.com

export@rockdrillingtools.com

MSN:sui671100@hotmail.com

SKYPE:sui671100

Website:www.rockdrillingtools.com

www.china-rocktool.com

ADD: DongSong road #88, Yanggu ,Liaocheng city , Shandong province , China