





INTEGRAL DRILL ROD-整体钎

19mm shank	Length 长度		Bit Diameter 钎头直径	Weight Kg 重量	P/N 型号	
	mm 毫米	Foot 英尺				
一字钎头整体钎 Chisel bit integral 钎柄 19mm×108mm Shank 19mm×108mm 	400	1' 4"	29	1.3	TSIRH1904-29 (01)	
	500	1' 8"	29	1.5	TSIRH1905-29 (01)	
	800	2' 7"	28	2.2	TSIRH1908-28 (01)	
	1000	3' 33/8"	28	2.6	TSIRH191.0-28 (01)	
	1200	3' 11"	27	3.0	TSIRH191.2-27 (01)	
	1600	5' 3"	27	3.9	TSIRH191.6-27 (01)	
	2400	7' 10"	26	5.7	TSIRH192.4-26 (01)	
	3200	10' 6"	25	7.5	TSIRH193.2-25 (01)	
	4000	13' 1"	24	9.2	TSIRH194.0-24 (01)	
	400	1' 4"	24	1.3	TSIRH190.4-24 (01)	
	800	2' 7"	23	2.2	TSIRH190.8-23 (01)	
	600	2'	27	1.7	TSIRH190.6-27 (01)	
	1200	3' 11"	26	3.0	TSIRH191.2-26 (01)	
	2000	6' 7"	24	4.8	TSIRH192.0-24 (01)	
	2400	7' 10"	24	5.7	TSIRH192.0-24 (01)	
	2700	8' 10"	24	6.3	TSIRH192.7-24 (01)	
	一字钎头整体钎 Chisel bit integral 钎柄 22mm×108mm Shank 22mm×108mm 	400	1' 4"	24	1.5	TSIRH1904-24 (01)
		400	1' 4"	29	1.5	TSIRH1904-29 (01)
		600	2'	27	1.7	TSIRH1906-27 (01)
800		2' 7"	23	2.3	TSIRH1908-23 (01)	
800		2' 7"	28	2.3	TSIRH1908-28 (01)	
1200		3' 11"	23	3.2	TSIRH191.2-23 (01)	
1600		5' 3"	27	4.0	TSIRH191.6-27 (01)	
2000		6' 7"	28	5.0	TSIRH192.0-28 (01)	
2400		7' 10"	26	5.8	TSIRH192.4-26 (01)	
3200		10' 6"	25	7.5	TSIRH193.2-25 (01)	
形整体钎 Plug hole rods 钎柄 19mm×108mm Shank 19mm×108mm 	Length (mm) 长度	Bit Diameter 钎头直径	Turned Length 圆体长度	Weight Kg 重量	P/N 型号	
	210	17	150	0.7	TSIRH19021-17 (01)	
	210	20	150	0.7	TSIRH19021-20 (01)	
	210	22	150	0.7	TSIRH19021-22 (01)	
	260	20	200	0.8	TSIRH19026-20 (01)	
	260	22	200	0.8	TSIRH19026-22 (01)	
	310	22	250	0.9	TSIRH19031-22 (01)	
	340	20	280	1.0		

22mm shank	Length 长度		Bit Diameter 钎头直径	Weight Kg 重量	P/N 型号
	mm 毫米	Foot 英尺			
一字钎头整体钎	800	2' 7"	34	3.0	TSIRH2208-34(01)
Chisel bit integral	1600	5' 3"	33	5.2	TSIRH221. 6-33(01)
钎柄 22mm×108mm	2400	7' 10"	32	8.0	TSIRH222. 4-32(01)
Shank 22mm×108mm	3200	10' 6"	31	10.2	TSIRH223. 2-31(01)
	4000	13' 1"	30	12.9	TSIRH224. 0-30(01)
	4800	15' 9"	29	15.1	TSIRH224. 8-29(01)
	5600	18' 4"	28	17.6	TSIRH225. 6-28(01)
	6400	21'	27	20.1	TSIRH226. 4-27(01)
	7200	23' 6"	26	22.5	TSIRH227. 2-26(01)
	800	2' 7"	40	3.0	TSIRH2208-40(01)
	1600	5' 3"	39	5.2	TSIRH221. 6-39(01)
	2400	7' 10"	38	8.0	TSIRH222. 4-38(01)
	3200	10' 6"	37	10.2	TSIRH223. 2-37(01)
	4000	13' 1"	36	12.9	TSIRH224. 0-36(01)
	4800	15' 9"	35	15.1	TSIRH224. 8-35(01)
	5600	18' 4"	34	17.6	TSIRH225. 6-34(01)
	6400	21'	33	20.1	TSIRH226. 4-33(01)
	7200	23' 6"	32	22.5	TSIRH227. 2-32(01)
	8000	26' 2"	31	25.0	TSIRH228. 0-31(01)
	400	1' 4"	34	1.7	TSIRH2204-34(01)
	800	2' 7"	33	3.0	TSIRH2208-33(01)
	1200	3' 11"	32	4.1	TSIRH221. 2-32(01)
	1600	5' 3"	31	5.2	TSIRH221. 6-31(01)
	2000	6' 7"	30	6.7	TSIRH222. 0-30(01)
	600	2'	41	2.4	TSIRH220. 6-41(01)
	1200	3' 11"	40	4.3	TSIRH221. 2-40(01)
	1800	5' 11"	39	6.2	TSIRH221. 8-39(01)
	2400	7' 10"	38	8.0	TSIRH222. 4-38(01)
	400	1' 4"	41	1.7	TSIRH220. 4-41(01)
	800	2' 7"	29	3.0	TSIRH220. 8-29(01)
	800	2' 7"	38	3.1	TSIRH2208-38(01)
	1200	3' 11"	39	4.3	TSIRH221. 2-39(01)
	1600	5' 3"	36	5.2	TSIRH221. 6-36(01)
	1800	5' 11"	36	6.0	TSIRH221. 8-36(01)
	2000	6' 7"	32	6.7	TSIRH222. 0-32(01)
	2400	7' 10"	27	8.0	TSIRH222. 4-27(01)
	3200	10' 6"	27	10.2	TSIRH223. 2-27(01)
	3200	10' 6"	32	10.3	TSIRH223. 2-32(01)
	6400	21'	30	20.1	TSIRH226. 4-30(01)
	8000	26' 2"	26	25.0	TSIRH228. 0-26(01)



SHANDONG TAISHAN ROCK TOOLS CO., LTD

Mr:Tom Sui

Tel: 0086-635-6515509

Fax:0086-635-6515678

Mobile: 013563026509

013863526509

Email:chinarocktool@163.com

rockdrillingtools@163.com

export@china-rocktool.com

export@rockdrillingtools.com

MSN:sui671100@hotmail.com

SKYPE:sui671100

Website:www.rockdrillingtools.com

www.china-rocktool.com

**ADD: DongSong road #88, Yanggu ,Liaocheng city , Shandong province ,
China**