


















THREAD BUTTON BIT-螺纹球齿钎头

柱齿形钎头 Button bit		圆齿 Spherical buttons								
		37	1 29/64	2×7	5×9	30°	1×5	1×6	0.5	Q737-R28-A
		38	1 1/2	2×8	4×9	30°	1×6	2×4	0.6	Q638-R28-A
		38	1 1/2	2×7	5×9	30°	1×5	1×6	0.6	Q738-R28-A
		41	1 5/8	2×8	5×9	35°	1×5	1×6	0.7	Q741-R28-A
		43	1 11/16	2×9	5×9	35°	1×6	2×4	0.8	Q743-R28-A
		45	1 3/4	2×9	5×10	30°	1×6	2×4	0.9	Q745-R28-A
		45	1 3/4	3×8	6×9	35°	1×5	3×4.5	0.9	Q945-R28-A
		抛物线齿 Ballistic buttons								
		37	1 29/64	2×7	5×9	30°	1×5	1×6	0.5	Q737-R28-I
		38	1 1/2	2×8	4×9	30°	1×6	2×4	0.6	Q638-R28-I
		38	1 1/2	2×7	5×9	30°	1×5	1×6	0.6	Q738-R28-I
		41	1 5/8	2×8	5×9	35°	1×5	1×6	0.7	Q741-R28-I
		43	1 11/16	2×9	5×9	35°	1×6	2×4	0.8	Q743-R28-I
		45	1 3/4	2×9	5×10	30°	1×6	2×4	0.9	Q745-R28-I
		45	1 3/4	3×8	6×9	35°	1×5	3×4.5	0.9	Q945-R28-I
		48	1 7/8	2×9	5×11	30°	1×6	2×4	1.0	Q748-R28-I
		48	1 7/8	3×8	6×9	35°	1×5	3×5	1.0	Q948-R28-I
柱齿形钎头 Button bit		圆齿 Spherical buttons								
		48	1 7/8	2×9	5×11	35°	1	2	1.0	Q748-R32-A
		48	1 7/8	3×8	6×10	40°	3	1	0.9	Q948-R32-A
		51	2	2×10	5×11	35°	1	2	1.0	Q751-R32-A
		51	2	2×10	6×10	40°	2×7	-	1.0	Q851-R32-A
		51	2	3×9	6×10	35°	3×6	-	1.0	Q951-R32-A
		51	2	3×9	6×10	30°	3	1	1.0	Q951-R32A-A
		57	2 1/4	3×9	6×11	35°	3×6	-	1.3	Q957-R32-A
		57	2 1/4	3×10	6×11	35°	3×6	-	1.3	Q957-R32A-A
		64	2 1/2	3*10, 1*10	6×11	35°	3×7	-	1.6	QA1064-R32-A
		64	2 1/2	4×10	8×10	40°	2×9	-	1.6	Q1264-R32-A
		76	3	4×11	8×11	40°	2×9	-	2.6	Q1276-R32-A
		抛物线齿 Ballistic buttons								
		48	1 7/8	2×8	6×10	25°	2	1	0.9	Q848-R32-I
		48	1 7/8	3×8	6×10	40°	3×5	-	0.9	Q948-R32-I
		51	2	2×10	6×10	40°	2×7	-	1.0	Q851-R32-I
		51	2	3×9	6×10	40°	3	1	1.0	Q951-R32-I
		54	2 1/8	3×9	6×10	40°	3	1	1.0	Q954-R32-I
		57	2 1/4	3×9	6×11	35°	3×6	-	1.3	Q957-R32-I
		57	2 1/4	3×10	6×11	35°	3×6	-	1.3	Q957-R32A-I
		64	2 1/2	4×10	8×10	40°	2×9	-	1.6	Q1264-R32-I


柱齿形钎头
Button bit







圆齿 Spherical buttons


41	1 5/8	2×9	4×9	35°	1×6	2×5	0.6	Q641-R32-A
41	1 5/8	2×8	5×9	35°	1×5	1×7.5	0.7	Q741-R32-A
43	1 11/16	2×9	5×9	35°	1×6	2×6	0.7	Q743-R32-A
43	1 11/16	2×9	5×10	35°	1×5	1×7.5	0.7	Q743-R32A-A
43	1 11/16	2×9	6×9	40°	2×6	-	0.7	Q843-R32-A
45	1 3/4	2×9	5×11	30°	1×5	1×7.5	0.8	Q745-R32-A
45	1 3/4	2×9	6×10	35°	2×6	-	0.8	Q845-R32-A
45	1 3/4	3×8	6×10	30°	3×4.5	-	0.8	Q945-R32-A
48	1 7/8	2×9	5×11	35°	1×6	1×7.5	0.9	Q748-R32-A
48	1 7/8	2×9	6×10	40°	2×7	-	0.9	Q848-R32-A
48	1 7/8	3×8	6×10	40°	3×5	-	0.9	Q948-R32-A
48	1 7/8	3×9	6×10	30°	3×5	-	0.9	Q948-R32A-A
51	2	2×10	5×12	35°	1×6	1×7.5	1.0	Q751-R32-A
51	2	2×10	6×10	40°	2×7	-	1.0	Q851-R32-A
51	2	3×9	6×10	35°	3×6	-	1.0	Q951-R32-A
57	2 1/4	3×9	6×11	35°	3×6	-	1.3	Q957-R32-A
64	2 1/2	3*10, 1*10	6×11	35°	3×7	-	1.6	QA1064-R32-A
64	2 1/2	4×10	8×10	40°	2×9	-	1.6	Q1264-R32-A
76	3	4×11	8×11	40°	2×9	-	2.6	Q1276-R32-A



抛物线齿 Ballistic buttons



41	1 5/8	2×8	5×9	40°	1×5	1×7.5	0.7	Q741-R32-I
43	1 11/16	2×9	5×9	40°	1×6	2×6	0.7	Q743-R32-I
43	1 11/16	2×9	6×9	40°	2×6	-	0.7	Q843-R32-I
43	1 11/16	3×8	6×8	40°	3×4.5	1×4.5	0.7	Q943-R32-I
45	1 3/4	2×9	5×11	30°	1	2	0.8	Q745-R32-I
45	1 3/4	2×9	6×9	40°	2	2	0.8	Q845-R32-I
45	1 3/4	3×8	6×9	40°	3	1	0.8	Q945-R32-I
48	1 7/8	2×9	5×11	35°	1×6	1×7.5	0.9	Q748-R32-I
48	1 7/8	2×9	6×10	40°	2×7	-	0.9	Q848-R32-I
48	1 7/8	3×8	6×10	40°	3×5	-	0.9	Q948-R32-I
51	2	2×10	6×10	40°	2×7	-	1.0	Q851-R32-I
51	2	3×9	6×10	40°	3	1	1.0	Q951-R32-I
54	2 1/8	3×9	6×10	40°	3	1	1.0	Q951-R32A-I
57	2 1/4	3×9	6×11	35°	3×6	-	1.3	Q957-R32-I
64	2 1/2	4×10	8×10	40°	2×9	-	1.6	Q1264-R32-I

柱齿形钎头 Button bit		圆齿 Spherical buttons							
		64	2 1/2	3×11	6×12	30°	3×7	-	1.6
	64	2 1/2	4×10	8×10	30°	3×7	-	1.6	Q1264-T38-A
	64	2 1/2	3×10, 1×10	6×11	35°	3×8	-	1.7	QA1064-T38-A
	64	2 1/2	4×10, 1×8	8×10	30°	4×7	-	1.7	QA1364-T38-A
	70	2 3/4	4×11	8×11	40°	2×11	-	2.0	Q1270-T38-A
	70	2 3/4	6×10	8×10	35°	2×11	-	2.0	Q1470-T38-A
	70	2 3/4	3×10, 1×10	6×12	35°	3×8	-	2.0	QA1070-T38-A
	76	3	4×11	8×12	35°	2×11	-	2.5	Q1276-T38-A
	76	3	4×11	8×11	40°	2×11	-	2.5	Q1276-T38A-A
	76	3	5×11	8×12	35°	2	1	2.4	Q1376-T38-A
	76	3	6×10	8×11	40°	2×11	-	2.4	Q1476-T38-A
	76	3	6×10	8×10	35°	2×11	-	2.4	Q1476-T38A-A
	76	3	3×11, 1×11	6×13	35°	3	1	2.6	QA1076-T38-A
	76	3	4×11, 1×11	8×12	35°	4	1	2.7	QA1376-T38-A
	76	3	4×11, 1×11	8×11	35°	4	1	2.7	QA1376-T38A-A
	76	3	4×10, 2×10	8×11	30°	4×7	-	2.7	QA1476-T38-A
	76	3	4×10, 2×10	8×11	35°	4×8	-	2.7	QA1476-T38A-A
	89	3 1/2	4×13	8×13	40°	2×12	-	3.3	Q1289-T38-A
	89	3 1/2	5×13	8×13	40°	2×12	-	3.3	Q1389-T38-A
	89	3 1/2	6×11	8×12	35°	2×12	-	3.3	Q1489-T38-A
	89	3 1/2	6×12	8×12	35°	2×12	-	3.3	Q1489-T38A-A
	89	3 1/2	6×12	8×13	35°	2×12	-	3.3	Q1489-T38B-A
	89	3 1/2	6×10	9×11	35°	3×10	-	3.3	Q1589-T38-A
	89	3 1/2	3×12, 2×10	6×13	35°	3	1	3.3	QA1189-T38-A
	89	3 1/2	3×11, 2×11	6×13	35°	3	1	3.3	QA1189-T38A-A
	89	3 1/2	4×11, 1×11	8×12	35°	4×8	-	3.3	QA1389-T38-A
	89	3 1/2	4×12, 2×10	8×12	35°	4×8	-	3.3	QA1489-T38-A
	102	4	6×12	8×14	35°	2×13	-	4.7	Q14102-T38-A
	102	4	4×13, 1×13	8×14	35°	4×9	-	4.6	QA13102-T38-A
	102	4	4×12, 4×10	8×12	35°	4×9	-	4.6	QA16102-T38-A
		抛物线齿 Ballistic buttons							
64		2 1/2	3×11	6×12	30°	3×7	-	1.6	Q964-T38-I
64		2 1/2	4×10	8×10	30°	3×7	-	1.6	Q1264-T38-I
64		2 1/2	3×10, 1×10	6×11	35°	3×8	-	1.7	QA1064-T38-I
64		2 1/2	3×10, 1×8	6×12	25°	3×8	-	1.7	QA1364-T38-I
64		2 1/2	4×10, 1×8	8×10	30°	4×7	-	1.7	QA1364-T38A-I




柱齿形钎头 Button bit										
	70	2 3/4	4×11	8×11	40°	2×11	-	2.0	Q1270-T38-I	
	70	2 3/4	3×11, 1×9	6×11	35°	3×8	-	2.0	QA1070-T38-I	
	70	2 3/4	3×10, 1×10	6×11	35°	3×8	-	2.0	QA1070-T38A-I	
	70	2 3/4	3×10, 1×8	6×12	25°	3×8	-	2.0	QA1070-T38B-I	
	76	3	4×11	8×12	35°	2×11	-	2.5	Q1276-T38-I	
	76	3	4×11	8×11	40°	2×11	-	2.5	Q1276-T38A-I	
	76	3	5×11	8×12	35°	2	1	2.4	Q1376-T38-I	
	76	3	6×10	8×11	40°	2×11	-	2.4	Q1476-T38-I	
	76	3	6×10	8×10	35°	2×11	-	2.4	Q1476-T38A-I	
	76	3	3×11, 1×11	6×13	35°	3	1	2.6	QA1076-T38-I	
	76	3	4×11, 1×11	8×12	35°	4	1	2.7	QA1376-T38-I	
	76	3	4×11, 1×11	8×11	35°	4	1	2.7	QA1376-T38A-I	
	76	3	4×10, 2×10	8×11	30°	4×7	-	2.7	QA1476-T38-I	
	76	3	4×10, 2×10	8×11	35°	4×8	-	2.7	QA1476-T38A-I	
	89	3 1/2	5×13	8×13	40°	2×12	-	3.3	Q1389-T38-I	
	89	3 1/2	6×12	8×13	35°	2×12	1	3.3	Q1489-T38-I	
	89	3 1/2	6×12	8×12	35°	2×12	-	3.3	Q1489-T38A-I	
	89	3 1/2	6×10	9×11	35°	3×10	-	3.3	Q1589-T38-I	
	89	3 1/2	3×11, 2×11	6×13	35°	3	1	3.3	QA1189-T38-I	
	89	3 1/2	4×11, 1×11	8×12	35°	4×8	-	3.3	QA1389-T38-5	
	89	3 1/2	4×12, 2×10	8×12	35°	4×8	-	3.3	QA1489-T38-I	
	102	4	6×12	8×14	35°	2×13	-	4.7	Q14102-T38-I	
	102	4	4×13, 1×13	8×14	35°	4×9	-	4.6	QA13102-T38-I	
	102	4	4×12, 4×10	8×12	35°	4×9	-	4.6	QA16102-T38-I	

柱齿形钎头 Button bit		圆齿 Spherical buttons							
	33	1 19/64	2×7	5×7	35°	1×5	1×6	0.4	Q733-R25-A
	35	1 3/8	2×7	5×8	35°	1×5	1×6	0.4	Q735-R25-A
	37	1 29/64	2×7	5×9	30°	1×5	1×6	0.5	Q737-R25-A
	38	1 1/2	2×8	4×9	30°	1×6	2×4	0.5	Q638-R25-A
	38	1 1/2	2×7	5×9	30°	1×5	1×6	0.5	Q738-R25-A
	41	1 5/8	2×9	4×9	35°	1×6	2×4	0.6	Q641-R25-A
	41	1 5/8	2×8	5×9	35°	1×5	1×6	0.6	Q741-R25-A
	45	1 3/4	2×9	4×11	35°	1×6	2×4	0.6	Q645-R25-A
	45	1 3/4	2×8	5×10	30°	1×6	2×4	0.6	Q745-R25-A
			抛物线齿 Ballistic buttons						
	33	1 19/64	2×7	5×7	35°	1×5	1×6	0.4	Q733-R25-I
	35	1 3/8	2×7	5×9	25°	1×5	1×6	0.4	Q735-R25-I
	38	1 1/2	2×7	5×9	40°	1×5	1×6	0.5	Q738-R25-I
	41	1 5/8	2×8	5×9	40°	1×5	1×6	0.6	Q741-R25-I
	45	1 3/4	2×9	5×10	35°	1×6	2×4	0.6	Q745-R25-I

柱齿形钎头

Button bit




圆齿 Spherical buttons







70	2 3/4	4×11	8×11	40°	2×12	-	2.3	Q1270-T45-A
70	2 3/4	3×11, 1×9	6×11	35°	3×9	-	2.2	QA1070-T45-A
70	2 3/4	3×11, 1×9	6×12	35°	3×9	-	2.2	QA1070-T45A-A
70	2 3/4	4×10, 1×9	8×11	35°	4×8	-	2.2	QA1370-T45-A
76	3	4×11	8×11	40°	2×12	-	2.6	Q1276-T45-A
76	3	4×11	8×12	30°	2×12	-	2.6	Q1276-T45A-A
76	3	4×12	8×12	30°	2×12	-	2.6	Q1276-T45B-A
76	3	5×11	8×12	35°	2×12	1	2.6	Q1376-T45-A
76	3	5×11	8×13	35°	2×12	1	2.6	Q1376-T45A-A
76	3	6×10	8×11	35°	2×12	-	2.6	Q1476-T45-A
76	3	3×11, 1×11	6×13	35°	3×9	1	2.4	QA1076-T45-A
76	3	4×11, 1×11	8×11	35°	4×8	-	2.6	QA1376-T45-A
76	3	4×11, 1×11	8×13	35°	4×8	-	2.6	QA1376-T45A-A
89	3 1/2	4×13	8×13	40°	2×13	-	4.6	Q1289-T45-A
89	3 1/2	5×13	8×13	35°	2×13	-	4.6	Q1389-T45-A
89	3 1/2	6×12	8×12	35°	2×13	-	4.6	Q1489-T45-A
89	3 1/2	6×13	8×13	35°	2×13	-	4.6	Q1489-T45A-A
89	3 1/2	6×12	8×14	35°	2×13	2	4.6	Q1489-T45B-A
89	3 1/2	6×10	9×11	35°	3×10	-	4.6	Q1589-T45-A
89	3 1/2	3×11, 2×11	6×13	35°	3×10	1	4.1	QA1189-T45-A
89	3 1/2	3×13, 2×9	6×13	35°	3×10	-	4.1	QA1189-T45A-A
89	3 1/2	3×12, 2×10	6×14	35°	3×10	-	4.1	QA1189-T45B-A
89	3 1/2	4×11, 1×11	8×13	35°	4×8	-	4.6	QA1389-T45-A
89	3 1/2	4×11, 2×11	8×12	35°	4×8	-	4.6	QA1489-T45-A
89	3 1/2	4×12, 2×10	8×12	35°	4×8	-	4.6	QA1489-T45A-A
102	4	5×14	8×14	40°	2×14	-	5.0	Q13102-T45-A
102	4	6×12	8×14	35°	2×14	-	5.0	Q14102-T45-A
102	4	6×13	8×16	40°	2×14	1	5.0	Q14102-T45A-A
102	4	7×12	8×14	35°	2	2	5.0	Q15102-T45-A
102	4	6×12	9×12	35°	3×10	-	5.0	Q15102-T45A-A
102	4	3×13, 2×13	6×14	35°	3	1	4.5	QA11102-T45-A
102	4	4×13, 1×13	8×14	35°	4×9	-	4.5	QA13102-T45-A
102	4	4×12, 2×10	8×14	35°	4	1	4.5	QA14102-T45-A
102	4	4×12, 4×10	8×12	35°	4×9	-	4.5	QA16102-T45-A
115	4 1/2	7×14	8×14	35°	2×13	-	6.8	Q15115-T45-A


柱齿形钎头
Button bit

抛物线齿 Ballistic buttons



70	2 3/4	3×11, 1×9	6×11	35°	3×9	-	2.2	QA1070-T45-I
70	2 3/4	3×11, 1×9	6×12	35°	3×9	-	2.2	QA1070-T45A-I
76	3	4×11	8×11	40°	2×12	-	2.6	Q1276-T45-I
76	3	4×11	8×12	30°	2×12	-	2.6	Q1276-T45A-I
76	3	4×12	8×12	30°	2×12	-	2.6	Q1276-T45B-I
76	3	5×11	8×12	35°	2×12	1	2.6	Q1376-T45-I
76	3	5×11	8×13	35°	2×12	1	2.6	Q1376-T45A-I
76	3	6×10	8×11	35°	2×12	-	2.6	Q1476-T45-I
76	3	3×11, 1×11	6×13	35°	3×9	1	2.4	QA1076-T45-I
76	3	4×11, 1×11	8×11	35°	4×8	-	2.6	QA1376-T45-I
76	3	4×11, 1×11	8×13	35°	4×8	-	2.6	QA1376-T45A-I
89	3 1/2	4×13	8×13	40°	2×13	-	4.6	Q1289-T45-I
89	3 1/2	5×13	8×13	35°	2×13	-	4.6	Q1389-T45-I
89	3 1/2	6×12	8×12	35°	2×13	-	4.6	Q1489-T45-I
89	3 1/2	6×13	8×13	35°	2×13	-	4.6	Q1489-T45A-I
89	3 1/2	6×12	8×14	35°	2×13	2	4.6	Q1489-T45B-I
89	3 1/2	6×10	9×11	35°	3×10	-	4.6	Q1589-T45-I
89	3 1/2	3×11, 2×11	6×13	35°	3×10	1	4.1	QA1189-T45-I
89	3 1/2	3×13, 2×9	6×13	35°	3×10	-	4.1	QA1189-T45A-I
89	3 1/2	3×12, 2×10	6×14	35°	3×10	-	4.1	QA1189-T45B-I
89	3 1/2	4×11, 1×11	8×13	35°	4×8	-	4.6	QA1389-T45-I
89	3 1/2	4×11, 2×11	8×12	35°	4×8	-	4.6	QA1489-T45-I
89	3 1/2	4×12, 2×10	8×12	35°	4×8	-	4.6	QA1489-T45A-I
102	4	5×14	8×14	40°	2×14	-	5.0	Q13102-T45-I
102	4	6×12	8×14	35°	2×14	-	5.0	Q14102-T45-I
102	4	6×13	8×16	40°	2×14	1	5.0	Q14102-T45A-I
102	4	7×12	8×14	35°	2	2	5.0	Q15102-T45-I
102	4	6×12	9×12	35°	3×10	-	5.0	Q15102-T45A-I
102	4	3×13, 2×13	6×14	35°	3	1	4.5	QA11102-T45-I
102	4	4×13, 2×13	8×13	35°	4×9	1	4.5	QA13102-T45-I

柱齿形钎头 Button bit		圆齿 Spherical buttons								
	89	3 1/2	4×13	8×13	40°	2×13	-	4.9	Q1289-T51-A	
	89	3 1/2	5×13	8×13	35°	2×13	-	4.9	Q1389-T45-A	
	89	3 1/2	6×12	8×12	30°	2	2	4.9	Q1489-T51-A	
	89	3 1/2	6×13	8×13	35°	2×13	1	4.9	Q1489-T51A-A	
	89	3 1/2	6×12	8×14	35°	2×13	-	4.9	Q1489-T51B-A	
	89	3 1/2	6×10	9×11	35°	3×12	-	4.9	Q1589-T51-A	
	89	3 1/2	4×11, 1×11	8×13	35°	4×10	-	4.9	QA1389-T51-A	
	89	3 1/2	4×11, 2×11	8×12	35°	4×10	-	4.9	QA1489-T51-A	
	89	3 1/2	4×12, 2×10	8×12	35°	4×10	-	4.9	QA1489-T51A-A	
		102	4	4 ×14	8×16	35°	2×14	-	5.8	Q12102-T51-A
102		4	6×14	8×14	35°	2×14	-	5.8	Q14102-T51-A	
102		4	6×13	8×16	35°	2	1	5.8	Q14102-T51A-A	
102		4	6×14	8×16	35°	2×14	-	5.8	Q14102-T51B-A	
102		4	6×12	9×12	35°	3×12	-	5.9	Q15102-T51-A	
102		4	7×12	9×12	35°	3×12	-	5.9	Q16102-T51-A	
102		4	7×12	9×14	35°	3×12	-	5.9	Q16102-T51A-A	
102		4	3×13, 2×13	6×16	35°	3	1	5.8	QA11102-T51-A	
102		4	4×13, 1×13	8×14	35°	4×11	-	5.8	QA13102-T51-A	
102		4	4×12, 2×12	8×12	35°	4×11	-	5.8	QA14102-T51-A	
	102	4	4×13, 2×13	8×13	35°	4×11	1	5.8	QA14102-T51A-A	
	102	4	4×12, 2×11	8×14	35°	4×11	1	5.8	QA14102-T51B-A	
	102	4	4×12, 3×12	8×13	35°	4×11	-	5.8	QA15102-T51-A	
	115	4 1/2	6×14	8×16	35°	2	-	6.8	Q14115-T51-A	
	115	4 1/2	8×13	9×14	35°	3×12	-	6.8	Q17115-T51-A	
	115	4 1/2	9×12	9×13	35°	3×12	-	6.8	Q18115-T51-A	
	115	4 1/2	4×13, 2×13	8×14	35°	4×11	-	6.8	QA14115-T51-A	
	115	4 1/2	4×14, 2×14	8×16	35°	4×11	-	6.8	QA14115-T51A-A	
	115	4 1/2	4×13, 3×13	8×14	35°	4×10	-	6.8	QA15115-T51-A	
	115	4 1/2	4×14, 4×11	8×14	35°	4×11	-	6.8	QA16115-T51-A	
	115	4 1/2	6×14, 1×14	9×14	35°	3×12	-	6.8	QA16115-T51A-A	
	127	5	8×14	8×16	35°	2×14	1	7.5	Q16127-T51-A	
	127	5	9×12	8×16	40°	2×14	-	7.5	Q17127-T51-A	
	127	5	8×14	9×14	40°	3×13	-	7.5	Q17127-T51A-A	
	127	5	9×13	9×14	35°	3×13	-	7.5	Q18127-T51-A	
	127	5	9×13	12×13	35°	3×13	-	7.5	Q21127-T51-A	
	127	5	4×16, 2×13	8×16	35°	4×10	-	7.5	QA14127-T51-A	
	127	5	4×14, 3×14	8×14	35°	4×10	-	7.5	QA15127-T51-A	
	127	5	4×14, 4×12	8×14	35°	4×10	-	7.5	QA16127-T51-A	

柱齿形钎头 Button bit	抛物线齿 Ballistic buttons								
	89	3 1/2	5×13	8×13	35°	2×13	-	4.9	Q1389-T45-I
	89	3 1/2	6×12	8×12	30°	2	2	4.9	Q1489-T51-I
	89	3 1/2	6×13	8×13	35°	2×13	1	4.9	Q1489-T51-I
	89	3 1/2	6×12	8×14	35°	2×13	-	4.9	Q1489-T51-I
	89	3 1/2	6×10	9×11	35°	3×12	-	4.9	Q1589-T51-I
	89	3 1/2	4×11, 1×11	8×13	35°	4×10	-	4.9	QA1389-T51-I
	89	3 1/2	4×11, 2×11	8×12	35°	4×10	-	4.9	QA1489-T51-I
	89	3 1/2	4×12, 2×10	8×12	35°	4×10	-	4.9	QA1489-T51A-I
	102	4	6×14	8×14	35°	2×14	-	5.8	Q14102-T51-I
	102	4	6×13	8×16	35°	2	1	5.8	Q14102-T51A-I
	102	4	6×14	8×16	35°	2×14	-	5.8	Q14102-T51B-I
	102	4	6×12	9×12	35°	3×12	-	5.9	Q15102-T51-I
	102	4	7×12	9×12	35°	3×12	-	5.9	Q16102-T51-I
	102	4	7×12	9×14	35°	3×12	-	5.9	Q16102-T51A-I
	102	4	3×13, 2×13	6×16	35°	3	1	5.8	QA11102-T51-I
	102	4	4×13, 1×13	8×14	35°	4×11	-	5.8	QA13102-T51-I
	102	4	4×13, 2×13	8×13	35°	4×11	1	5.8	QA14102-T51-I
	102	4	4×12, 2×11	8×14	35°	4×11	1	5.8	QA14102-T51A-I
	102	4	4×12, 3×12	8×13	35°	4×11	-	5.8	QA15102-T51-I
	115	4 1/2	6×13	8×16	35°	2	1	6.8	Q14115-T51-I
	115	4 1/2	6×14	8×16	35°	2	1	6.8	Q14115-T51A-I
	115	4 1/2	8×13	9×14	35°	3×12	-	6.8	Q17115-T51-I
	115	4 1/2	9×12	9×13	35°	3×12	-	6.8	Q18115-T51-I
	115	4 1/2	4×13, 2×13	8×14	35°	4×11	-	6.8	QA14115-T51-I
	115	4 1/2	4×14, 2×14	8×16	35°	4×11	-	6.8	QA14115-T51A-I
	115	4 1/2	4×13, 3×13	8×14	35°	4×10	-	6.8	QA15115-T51-I
	115	4 1/2	4×13, 4×11	8×14	35°	4×11	-	6.8	QA16115-T51-I

SHANDONG TAISHAN ROCK TOOLS CO., LTD

Mr:Tom Sui

Tel: 0086-635-6515509

Fax:0086-635-6515678

Mobile: 013563026509

013863526509

MSN:sui671100@hotmail.com

SKYPE:sui671100

Website:www.rockdrillingtools.com

www.china-rocktool.com

ADD: DongSong road #88, Yanggu ,Liaocheng city , Shandong province , China

Email:chinarocktool@163.com

rockdrillingtools@163.com

export@china-rocktool.com

export@rockdrillingtools.com